# Adaptive Fuzzy Cognitive Maps for Hyperknowledge Representation in Strategy Formation Process \*

#### **Christer Carlsson**

IAMSR, Åbo Akademi University, DataCity A 3210, SF-20520 Åbo, Finland e-mail: ccarlsso@ra.abo.fi

#### Robert Fullér<sup>†</sup>

Comp. Sci. Dept., Eötvös Loránd University, Muzeum krt. 6-8, H-1088 Budapest, Hungary e-mail: rfuller@ra.abo.fi

#### Abstract

In [6] Carlsson demonstrated that all the pertinent conceptual constructs of strategic management theory can be represented with a knowledge based support (KBS)-system with hyperknowledge properties. Furthermore, he shows that cognitive maps can be used to trace the impact of the support and to generalize the experiences of the users. In this paper we will show that the effectiveness and usefulness of this hyperknowledge support system can be further advanced using adaptive fuzzy cognitive maps.

*Keywords*: hyperknowledge support system, approximate reasoning, cognitive map, error correction learning, strategic management.

### 1 Woodstrat project

Strategic Management is defined as a system of action programs which form sustainable competitive advantages for a corporation, its divisions and its business units in a strategic planning period. A research team of the IAMSR institute has developed a support system for strategic management, called the *Woodstrat*, in two major Finnish forest industry corporations in 1992-96. The system is modular and is built

<sup>\*</sup>in: Proceedings of International Panel Conference on Soft and Intelligent Computing, Technical University of Budapest, 1996 43-50.

<sup>&</sup>lt;sup>†</sup>Presently visiting professor at Institute for Advanced Management Systems Research, Åbo Akademi University. Partially supported by OTKA T 14144

around the actual business logic of strategic management in the two corporations, i.e. the main modules cover the *market position* (MP), the *competitive position* (CP), the *productivity position* (PROD), the *profitability* (PROF), the investments (INV) and the *financing of investments* (FIN). The innovation in *Woodstrat* is that these modules are linked together in a hyperknowledge fashion, i.e. when a strong market position is built in some market segment it will have an immediate impact on profitability through links running from key assumptions on expected developments to the projected income statement. There are similar links making the competitive position interact with the market position, and the productivity position interact with both the market and the competitive positions, and with the profitability and financing positions.



Figure 1 The framework of Woodstrat.

The *Woodstrat* offers an intuitive and effective strategic planning support with object-oriented expert systems elements and a hyperknowledge user interface. In this paper we will show that the effectiveness and usefulness of a hyperknowledge support system can be further advanced using adaptive fuzzy cognitive maps.

## 2 Hyperknowledge and Cognitive Maps

*Hyperknowledge* is formed as a system of sets of interlinked concepts [9], much in the same way as hypertext is built with interlinked text strings [16]; then hyperknowledge-functions would be constructs which link concepts/systems of concepts in some predetermined or wanted way.

There are some useful characteristics of a hyperknowledge environment [9]: (i) the user can navigate through and work with diverse concepts; (ii) concepts can be different epistemologically, (iii) concepts can be organized in cognitive maps, (iv) the concepts can be made interrelated and interdependent, (v) relations can be structured or dynamic, and (vi) relations can change with or adapt to the context.

Cognitive maps were introduced by Axelrod [1] to represent crisp cause-effect relationships which are perceived to exist among the elements of a given environment. Fuzzy cognitive maps (FCM) are fuzzy signed directed graphs with feedbacks, and they model the world as a collection of concepts and causal relations between concepts [12].

When addressing strategic issues cognitive maps are used as action-oriented representations of the context the managers are discussing. They are built to show and simulate the interaction and interdependences of multiple belief systems as these are described by the participants - by necessity, these belief systems are qualitative and will change with the context and the organizations in which they are developed. They represent a way to make sure, that the intuitive belief that strategic issues should have consequences and implications, that every strategy is either constrained or enhanced by a network of other strategies, can be adequately described and supported. For simplicity, in this paper we illustrate the strategy building process by the following fuzzy cognitive map with six states



Fig. 2 Essential elements of the strategy building process.

The causal connections between the states MP (Market position), CP (Competitive position), PROF (Profitability), FIN (Financing position), PROD (Productivity position) and INV (Investments) are derived from the opinions of managers' of different Strategic Business Units.

It should be noted that the cause-effect relationships among the elements of the strategy building process may be defined otherwise (you may want to add other elements or delete some of these, or you may draw other arrows or rules or swap their signs or weight them in some new way).

### **3** Adaptive FCM for strategy formation

It is relatively easy to create cause-effect relationships among the elements of the strategy building process, however it is time-consuming and difficult to fine-tune them. Neural nets give a shortcut to tuning fuzzy cognitive maps. The trick is to let the fuzzy causal edges change as if they were synapses (weights) in a neural net.

Each arrow in Fig. 2 defines a fuzzy rule. We weight these rules or arrows with a number from the interval [-1, 1], or alternatively we could use *word weights* like *little*, or *somewhat*, or *more or less*. The states or nodes are fuzzy too. Each state can fire to some degree from 0% to 100%. In the crisp case the nodes of the network are *on* or *off*. In a real FCM the nodes are fuzzy and fire more as more causal juice flows into them.

Adaptive fuzzy cognitive maps can learn the weights from historical data. Once the FCM is trained it lets us play what-if games (e.g. *What if demand goes up and prices remain stable? - i.e. we improve our MP*) and can predict the future.

In the following we describe a learning mechanism for the FCM of the strategy building process, and illustrate the effectiveness of the map by a simple training set. Fig. 3 shows the structure of the FCM of the strategy building process.



Fig. 3 Adaptive fuzzy cognitive map for the strategy formation process.

Inputs of states are computed as the weighted sum of the outputs of its causing states

$$net = Wo$$

where W denotes the matrix of weights, o is the vector of computed outputs, and

net is the vector of inputs to the states. In our case the weight matrix is given by

$$W = \begin{pmatrix} 0 & w_{12} & 0 & 0 & 0 & 0 \\ w_{21} & 0 & 0 & 0 & 0 \\ w_{31} & 0 & 0 & w_{34} & w_{35} & w_{36} \\ 0 & w_{42} & 0 & 0 & 0 & 0 \\ 0 & 0 & w_{53} & w_{54} & 0 & 0 \\ 0 & 0 & 0 & w_{64} & 0 & 0 \end{pmatrix}$$

where the zero elements denote no causal link between the states, and

$$net = \begin{bmatrix} net_1 \\ net_2 \\ net_3 \\ net_4 \\ net_5 \\ net_6 \end{bmatrix} = \begin{bmatrix} net(MP) \\ net(CP) \\ net(PROF) \\ net(INV) \\ net(FIN) \\ net(PROD) \end{bmatrix} \qquad o = \begin{bmatrix} o_1 \\ o_2 \\ o_3 \\ o_4 \\ o_5 \\ o_6 \end{bmatrix} = \begin{bmatrix} o(MP) \\ o(CP) \\ o(PROF) \\ o(INV) \\ o(FIN) \\ o(PROD) \end{bmatrix}$$

That is,

$$net_1 = net(MP) = w_{12}o_2, \ net_2 = net(CP) = w_{21}o_1,$$
  
$$net_3 = net(PROF) = w_{31}o_1 + w_{34}o_4 + w_{35}o_5 + w_{36}o_6, \ net_4 = net(INV) = w_{42}o_2,$$
  
$$net_5 = net(FIN) = w_{54}o_4 + w_{53}o_3, \ net_6 = net(PROD) = w_{64}o_4$$

The output of state i is computed by a squashing function





Suppose we are given a set of historical training data

$$(MP(t), CP(t), PROF(t), INV(t), FIN(t), PROD(t))$$

where t = 1, ..., K. Here MP(t) is the observed value of the market position, CP(t) is the value of the competitive position at time t, and so on.

Using an error correction learning procedure we find the weights by minimizing the overall error

$$E(W) = \frac{1}{2} \sum_{t=1}^{K} \left\{ (MP(t) - o_1(t))^2 + (CP(t) - o_2(t))^2 + \right.$$

$$(PROF(t) - o_3(t))^2 + (INV(t) - o_4(t))^2 + (FIN(t) - o_5(t))^2 + (PROD(t) - o_6(t))^2$$

where  $o_i(t)$ , the computed value of the *i*-th state at time t, is determined as

$$o_i(t) = \frac{1}{1 + \exp\left[-net_i(t-1)\right]} = \frac{1}{1 + \exp\left[-\sum_j w_{ij}o_j(t-1)\right]}$$

where j is a causing state for state i. The weights are initialized at small random values. The rule for changing the weights of the states is derived from gradient descent method.

**Example 1** Consider a simple training set of historical data shown in Table 1.

	MP	CP	PROF	INV	FIN	PROD
1	a	a	0	a	a	a
1.	3	3	3 0 F	3	3	3
2.	4	3.5	3.5	3	4	3
3.	4	4	3.5	4	5	3.5
4.	3	4	3.5	4	4	3.5
5.	3	3.5	4	4	3	4
6.	$\mathcal{Z}$	3	4	4	2	4
7.	3	2.5	4	5	1	4
8.	3	3	4	5	$\mathcal{2}$	3.5
9.	4	3	4	5	3	3.5
10.	3	3.5	4	5	4	3

Table 1A training set.

The observed values of the states are measured from the interval [1, 5], where 1 stands for weak, 2 stands for rather weak, 3 stands for medium, 4 stands for rather strong and 5 stands for strong, intermediate values are denoted by  $\{1.5, 2.5, 3.5, 4.5\}$ .

For example, at reference time 7 we have a medium market position, weak-rather weak competitive position, rather strong profitability, strong investments, weak financing and rather strong productivity position. After the training we get the following weight matrix

$$W = \begin{pmatrix} 0 & 0.65 & 0 & 0 & 0 & 0 \\ 0.46 & 0 & 0 & 0 & 0 & 0 \\ 0.54 & 0 & 0 & 0.33 & 0.14 & -0.05 \\ 0 & 0.23 & 0 & 0 & 0 & 0 \\ 0 & 0 & -0.18 & 0.31 & 0 & 0 \\ 0 & 0 & 0 & 0.27 & 0 & 0 \end{pmatrix}$$

Our findings can be interpreted as the market and competitive positions are the driving forces for the overall profitability position.

**Summary 3.1** The extensions of Woodstrat to a fuzzy hyperknowledge support system shown here will have the effect to

- support approximate reasoning schemes in linking the MP, CP, PROD, PROF, INV and FIN elements of strategic management;
- approximate reasoning gives us conclusions from imprecise premises;
- fuzzy sets and fuzzy logic support a synthesis of quantitative and qualitative concepts, which develops strategic planning to a strategy formation process.

### References

- [1] R. Axelrod, Structure of Decision: the Cognitive Maps of Political Elites, Princeton University Press, Princeton, New Jersey, 1976.
- [2] J.R. Burns, W.H. Winstead and D.A. Haworth, Semantic nets as paradigms for both causal and judgmental knowledge representation, *IEEE Transactions on Systems, Man, and Cybernetics*, 19(1989) 58-67.
- [3] M. Brännback, L. Albäck, T. Finne and P. Rantanen, Cognitive Maps: An Attempt to Trace Mind and Attention in Decision-Making, in: C. Carlsson ed., *Cognitive Maps and Strategic Thinking*, Meddelanden Från Ekonomisk-Statsvetenskapliga Fakulteten vid Åbo Akademi, Ser. A:442, 1995 5-25.
- [4] M. Brännback, Active DSS and Tracing Strategic Thought, in: Proceedings of EUFIT'95 Conference, August 28-31, 1995, Aachen, Germany (Verlag Mainz, Aachen, 1995) 1223-1230.
- [5] C. Carlsson, Knowledge formation in strategic management, HICSS-27 Proceedings, IEEE Computer Society Press, Los Alamitos, 1994 221-230.
- [6] C. Carlsson, Cognitive Maps and Hyperknowledge. A Blueprint for Active Decision Support Systems, in: *Cognitive Maps and Strategic Thinking*, Crister Carlsson ed. May 1995, Åbo, Finland, (Meddelanden Från Ekonomisk-Statsvetenskapliga Fakulteten Vid Åbo Akademi, IAMSR, Ser. A:442) 27-59.
- [7] C. Carlsson and P. Walden, Active DSS and Hyperknowledge: Creating Strategic Visions, in: *Proceedings of EUFIT'95 Conference*, August 28-31, 1995, Aachen, Germany, (Verlag Mainz, Aachen, 1995) 1216-1222.
- [8] C. Carlsson and R. Fullér, Active DSS and approximate reasoning, in: Proceedings of EUFIT'95 Conference, August 28-31, 1995 Aachen, Germany, (Verlag Mainz, Aachen, 1995) 1209-1215.
- [9] A.-M. Chang, C.W. Holsapple and A.B. Whinston, Model Management Issues and Directions, *Decision Support Systems*, Vol 9 (1993), 19-37.
- [10] C. Eden and J. Radford eds., Tackling Strategic Problems. The Role of Group Support (Sage Publications, London 1990).

- [11] J. Diamond, R. McLeod, and W. Pedrycz. A fuzzy cognitive system: examination of a referential neural architecture, in: Int. Joint Conf. on Neural Networks 1990, Vol.2, 1990 617–622,
- [12] B. Kosko. Fuzzy cognitive maps. International Journal of Man-Machine Studies, 24(1986) 65–75.
- [13] B. Kosko, Fuzzy associative memories, in: A. Kandel ed., Fuzzy Expert Systems, Addison-Wesley, 1987.
- [14] B. Kosko, Neural Networks and Fuzzy Systems, Prentice-Hall, Englewood Cliffs, 1992.
- [15] B. Kosko, *Fuzzy Thinking*, Hyperion/Disney Books, 1993.
- [16] J. Nielsen, Hypertext & Hypermedia, Academic Press, San Diego, 1990.
- [17] T. Reponen, J. Pärnistö and J. Viitanen, Personality's impact on information management strategy formulation and decision making, in: C. Carlsson ed., *Cognitive Maps and Strategic Thinking*, Meddelanden Från Ekonomisk-Statsvetenskapliga Fakulteten vid Åbo Akademi, Ser. A:442, 1995 115-139.
- [18] P. Walden and C. Carlsson, Strategic Management with a Hyperknowledge Support System, *HICSS-27 Proceedings*, IEEE Computer Society Press, Los Alamitos, 1994 241-250.
- [19] P. Walden and C. Carlsson, Hyperknowledge and Expert Systems: A Case Study of Knowledge Formation Processes, *HICSS-28 Proceedings*, IEEE Computer Society Press, Los Alamitos 1995.
- [20] W. Zhang and S. Chen, A logical architecture for cognitive maps, in: Proceedings of the Second IEEE Conference on Neural Networks, IEEE Press, 1988 231-238.